



METAL-FACH



Z602

ROLLER AND CHAIN BALER

SPARE PARTS CATALOGUE
2ND EDITION, MARCH 2018 EN




Information included in the catalogue is valid as of the date of its preparation. The manufacturer reserves its right to make design changes in machines and due to this fact some values or illustrations may not correspond to the actual state of the machine supplied to the user. The manufacturer reserves its right to make design changes without changing this catalogue.

TABLE OF CONTENTS

1. BALER BODY	5
2. REAR BODY	7
3. REAR BODY DRIVE SHAFT	9
4. ROLLING CHAIN TENSIONER	11
5. GROUND WHEEL AXLE	13
6. HOOK, LEFT	15
7. HOOK, RIGHT	17
8. DRAWBAR	19
9. PARKING SUPPORT	21
10. PLATFORM	23
11. TRANSMISSION	25
12. ROLLER POSITIONS	27
13. SHAFT, Z602 001.110.000	29
14. SHAFT, Z602 001.120.000	31
15. SHAFT, Z602 001.130.000	33
16. SHAFT, Z602 001.140.000	35
17. SHAFT, Z602 001.150.000	37
18. SHAFT, Z602 001.160.000	39
19. CHAINS – LEFT-HAND SIDE	41
20. CHAINS – RIGHT-HAND SIDE	43
21. ROTOR - BODY AND SCRAPER	45
22. ROTOR – SHAFT	47
23. ROTOR - FLOOR	49
24. PICK-UP – BODY	52
25. PICK-UP – LEFT-HAND SIDE	54
26. PICK-UP – RIGHT-HAND SIDE	56

27. PICK-UP – AUGER CONVEYORS	58
28. PICK-UP – SPRING SHAFT.....	60
29. PICK-UP – DRIVE SHAFT AND CLUTCH	62
30. PICK-UP – LEFT WHEEL.....	64
31. PICK-UP – RIGHT WHEEL	66
32. PRESSURE ROLLER.....	68
33. NETTING UNIT – BODY	70
34. NETTING UNIT – FEEDING UNIT	72
35. NETTING UNIT – CUTTING UNIT	74
36. CENTRAL CHAIN GREASING.....	77
37. CENTRAL CHAIN LUBRICATION – LEFT-HAND SIDE.....	80
38. CENTRAL CHAIN LUBRICATION – RIGHT-HAND SIDE	81
39. CENTRAL BEARING LUBRICATION.....	82
40. HYDRAULIC SYSTEM – REAR FLAP	84
41. HYDRAULIC SYSTEM – PICK-UP.....	86
42. HYDRAULIC SYSTEM – ROTOR AND BLADES	88
43. ELECTRICAL INSTALLATION	90
44. LIGHTING	92
45. LEFT SHIELD	94
46. RIGHT SHIELD.....	96
47. TOP GUARD.....	98
48. REAR COVER	100
49. METAL SIDE SHIELDS	102
NOTES	104


1. BALER BODY



No.	Index no.	Name	Quantity
1	Z602 001.001.100	Right wall, welded	1
2	Z602 001.001.400	Left wall, welded	1
3	Z602 001.001.300	Welded beam	1
4	Z602 002.001.000	Body	1
5	Z589 001.001.600	Rear bracing	2
6	Z587 130.210.00	Lamp bracket, front	2
7	Z602 002.004.200	Hinge, left	1
8	Z602 002.004.100	Hinge, right	1
9	Z602 004.000.002	Transmission shield, right	1
10	Z602 004.000.003	Transmission shield, left	1
11	Z602 002.000.003	Sleeve	10
12	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	4
13	23P10 82005	Washer, round 10galv 82005 82005	16
14	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	8
15	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	8
16	23P12OC	Washer, round, 12galv 82005	16
17	23P16OOC	Washer, round, 16galv 82005 82005	10
18	23P8OOC	Washer, round, 8galv 82005 82005	8

No.	Index no.	Name	Quantity
19	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	8
20	23S8/35OC 8.8	Bolt, 8x35galv 8.8 82105 82105	4
21	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	4
22	23S10/40 8.8 82105 OC	Bolt, 10x40galv 8.8 82105 82105	4
23	23S16/1.5/40OC	Bolt, 16x1.5x40galv 8.8 82105 82105	10


2. REAR BODY



No.	Index no./Name	Description	Quantity
1	Z602 002.001.000	Body	1
2	POD-TSZ-000202P	Z602 rear shield, right	1
3	POD-TSZ-000202L	Z602 rear shield, left	1
4	Z602 002.003.300	Chain support	1
5	Z602 002.003.200	Chain support	1
6	POD-ELZ-000543	Tube lock pin, 10x60 A-9.8 C-70	2
7	Z602 002.002.002	Steel section, bottom	1
8	Z602 002.000.009	Protection	2
9	Z602 002.000.004	Plate	2
10	Z602 002.000.002	Lock bushing	2
11	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	5
12	23P10 82005	Washer, round, 10galv 82005 82005	10
13	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	7
14	23P8OC 82030	Washer, round 8galv coat 82030	5
15	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	2
16	POD-ELZ-000432	Neck bolt, 10x25galv 8.8 82406	4
17	23P12SP	Spring washer, round, 16galv 82008 82008	2
18	POD-ELZ-000782	Neck bolt, 8x16galv 8.8 82406	5

No.	Index no./Name	Description	Quantity
19	23S10/60OC 8.8	Bolt, 10x60galv 8.8 82101 82101	3
20	POD-ELZ-000565	Thread-tapping screw, 8x16galv DIN 7500D-six	8
21	23SZ30	Circlip Z30	6
22	Z602 002.000.010	Cylinder bushing	4
23	POD-HSL-000122	Cylinder, Z602 UCN30-40/320 (Ral 7015)	2
24	Z602 002.003.100	Support	2
25	23P10SP	Spring washer, round, 10.2galv 82008 82008	4
26	23S10/35OC 8.8	Bolt 10x35galv 8.8 82105 82105	4


3. REAR BODY DRIVE SHAFT



No.	Index no.	Name	Quantity
1	Z582 010.240.00	Sprocket, welded	2
2	Z602 002.004.300	Gear, teeth=21, 16B-1	1
3	Z602 002.004.200	Hinge, left	1
4	Z602 002.004.100	Hinge, right	1
5	Z602 002.004.500	Tube	1
6	Z562 000.000.069	Washer I	2
7	POD-LOZ-000261	Bearing, 2309 E-2RS1TN9	2
8	Z602 002.000.003	Sleeve	10
9	Z602 002.000.001	Main shaft	1
10	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	5
11	23P16OOC	Washer, round, 16galv 82005 82005	10
12	23P8OC 82030	Washer, round, 8galv coat 82030	5
13	POD-ELZ-000519	Bolt, 12x45galv 10.9 82101	2
14	23P12SP	Spring washer, round, 16galv 82008 82008	2
15	POD-ELZ-000782	Neck bolt, 8x16galv 8.8 82406	5
16	POD-ELZ-000598	Key, 12x8x45 DIN 6885A	1
17	POD-ELZ-000549	Key, 14x9x60	2
18	23S16/1.5/40OC	Bolt, 16x1.5x40galv 8.8 82105 82105	10

No.	Index no.	Name	Quantity
19	POD-ELZ-000731	Circlip, W100	2
20	POD-ELZ-000732	Circlip, Z120	2


4. ROLLING CHAIN TENSIONER



No.	Index no.	Name	Quantity
1	Z582 010.250.00	Sprocket, welded, bottom	4
2	Z602 002.002.200	Tensioner rod	2
3	Z582 010.260.00	Shaft fixture	2
4	Z602 002.002.100	Tensioner arm	2
5	POD-LOZ-000170	Bearing, 6007 2RS (Fe)	8
6	Z602 002.002.004	Spring washer	2
7	Z602 002.002.003	Spring washer	2
8	Z602 002.002.001	Tensioner shaft	1
9	Z562 000.000.058	Tension spring, 7/41/110/10 galv (maz-1785)	2
10	POD-LOZ-000283	Bush, GSM-2225-30	2
11	Z602 002.002.005	Shaft	1
12	23S12/30OC 8.8	Bolt, 12x30galv 8.8 82105 82105	6
13	23P12SP	Spring washer, round, 16galv 82008 82008	6
14	23N20OC	Nut, M20 galv 82144 5 82144 5	4
15	23SW62	Circlip, W62	8
16	23SZ35	Circlip, Z35	2
17	POD-ELZ-000009-1	Spring pin, 8x60 DIN 1481 DIN 1481	2
18	23K8/50	Spring pin, 8x50 DIN 1481	2

No.	Index no.	Name	Quantity
19	POD-ELZ-000646	Circlip, Z22	2
20	Z602 002.002.006	Washer	2


5. GROUND WHEEL AXLE



No.	Index no.	Name	Quantity
1	Z602 001.009.100	Welded axle	1
2	Z562 000.079.000	Bale ejector	1
3	25K400-60-15.3	Wheel, 400/60 -15.5 14, Right	2
4	Z562 008.002.000	Support III	1
5	Z562 000.204.000	Ejector lock	1
6	Wheel nut	M18 nut	15
7	23S10-80-440	Ejector spring, Maz-4720 Z562 000.000.206	1
8	23NS16OC	Nut, self-locking, M16galv 82175 8 82175 8	10
9	23P16OOC	Washer, round, 16galv 82005 82005	20
10	23WP8/7/36	Key, 8x7x36	1
11	POD-ELZ-000620	Bolt, 16x100galv 8.8 82101	4
12	23S16/50 8.8	Bolt, 10x50galv 8.8 82101 82101	6
13	Z602 001.009.005	Axle washer	2
14	POD-ELZ-000538	Spring pin, 6x50 DIN 1481	1


;

6. HOOK, LEFT



No.	Index no.	Name	Quantity
1	Z602 001.003.500	Tensioner rod	1
2	Z602 001.003.400	Lock bracket, Left	1
3	Z602 001.003.200	Lock, Left	1
4	23SM8	Grease nipple, M8x1.0 straight	3
5	Z602 001.180.001	Washer I	1
6	Z602 001.180.002	Washer I	1
7	POD-SPR-000076	Press spring	1
8	23SZ30	Circlip, Z30	2
9	23SZ35	Circlip, Z35	1
10	23K4/30	Spring pin, 4x30 (4x28) DIN 1481	1
11	23S16/80OC 8.8	Bolt, 16x80galv 8.8 82101 82101	1
12	23N16OC	Nut, M16galv 8.8 82144 5 82144 5	2
13	POD-ELK-000347	Induction sensor BI4M12-AP6X-H1141	1


7. HOOK, RIGHT



No.	Index no.	Name	Quantity
1	Z602 001.003.500	Tensioner rod	1
2	Z602 001.003.300	Lock bracket, Right	1
3	Z602 001.003.100	Lock, right	1
4	Z602 001.190.100	Sensor support I	1
5	Z602 001.190.200	Sensor bracket II	1
6	23SM8	Grease nipple, M8x1.0 straight	3
7	Z602 001.180.001	Washer I	1
8	Z602 001.180.002	Washer I	1
9	POD-SPR-000076	Press spring	1
10	23P10 82005	Washer, round, 10galv 82005 82005	1
11	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	1
12	23P10 OC030	Washer, round, 10galv coat. 82030 82030	1
13	23S16/80OC 8.8	Bolt, 16x80galv 8.8 82101 82101	1
14	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	1
15	23N16OC	Nut, M16galv 8.8 82144 5 82144 5	2
16	POD-ELK-000365	Sensor, NI20-Q14-AP6X2	1
17	POD-ELZ-000862	Wing nut, M8 galv 82439	1
18	23SZ30	Circlip Z30	2


No.	Index no.	Name	Quantity
19	23SZ35	Circlip, Z35	1
20	23K4/30	Spring pin, 4x30 (4x28) DIN 1481	1
21	POD-ELK-000347	Induction sensor, BI4M12-AP6X-H1141	1
22	POD-ELZ-000872	Bolt, 4x20galv 8.8 82105	2
23	POD-ELZ-000804	Washer, round, 4galv 82005	2
24	23N4OC	Nut, m4galv 82144 5 82144 5	2
25	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	1
26	23P8OOC	Washer, round, 8galv 82005 82005	2

8. DRAWBAR




No.	Index no.	Name	Quantity
1	Z589 001.004.110	Cable support	1
2	Z589 001.004.140	Shaft support	1
3	Z589 001.004.230	Right arm, set	1
4	Z589 001.004.220	Left arm, set	1
5	Z589 001.004.210	Catch	1
6	23NS16OC	Nut, self-locking, M16galv 82175 8 82175 8	1
7	23P10 82005	Washer, round, 10galv 82005 82005	4
8	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	2
9	23P16OOC	Washer, round, 16galv 82005 82005	2
10	23P20SP	Spring washer, round 20.5galv 82008 82008	5
11	23S10/35OC 8.8	Bolt, 10x35galv 8.8 82105 82105	2
12	23S16/110OC 8.8	Bolt, 16x110galv 8.8 82101 82101	1
13	23S20/60 8.8 OC	Bolt, 20x60galv 8.8 82105 82105	4
14	23N M20; KL.8 DIN934OC	Nut, M16galv 8.8 DIN934 8 DIN934 8	5
15	POD-ELZ-000924	Bolt, 20x200galv 10.9 82101	1

9. PARKING SUPPORT



No.	Index no.	Name	Quantity
1	Z587 080.210.00	Foot	1
2	Z562 300.211.000	Foot support	1
3	Z562 000.212.000	Foot pin, set	2
4	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	6
5	23P12OC	Washer, round, 12galv 82005	10
6	23P12OOC	Washer, round, 12galv coat. 82030	2
7	23S12/120OC	Bolt, 12x120galv 8.8 82101 82101	2
8	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	4
9	23ZSP5	Spring pin, double, 5mm galv.(R- type, double)	2


10. PLATFORM



No.	Index no.	Name	Quantity
1	Z602 005.004.000	Beam	1
2	Z602 005.003.000	Welded platform bracket, left	1
3	Z602 005.001.000	Ladder I	1
4	Z602 005.002.000	Ladder II	1
5	Z602 005.005.000	Handrail	1
6	Z602 005.006.000	Cable support, welded	1
7	Z602 005.000.001	Platform	1
8	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	13
9	23P10 82005	Washer, round, 10galv 82005 82005	4
10	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	4
11	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	4
12	23P12OC	Washer, round, 12galv 82005	4
13	23P12OOC	Washer, round, 12galv coat. 82030	4
14	23P8OOC	Washer, round, 8galv 82005 82005	24
15	23P8OC 82030	Washer, round, 8galv coat 82030	2
16	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	4
17	23S8/20OC 8.8	Bolt, 8x20galv 8.8 82105 82105	5

No.	Index no.	Name	Quantity
18	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	8
19	POD-ELZ-000423	Neck bolt, 8x20galv 8.8 82406	4
20	Z602 005.000.002	Bracing	1


11. TRANSMISSION



No.	Index no.	Name	Quantity
1	POD-WPS-000141	PTO shaft, wide-angle, 60064/S602.K61-1/5NW 1860 Nm L-1210/1900 1.3/8 Z6	1
2	Z562 063.420.000	Gear, teeth=15 16B1	2
3	Z562 000.000.069	Washer I	2
4	25OW	Shaft shield	1
5	Z562 063.400.030	Plate	1
6	Z562 063.400.020	Plate	1
7	POD-WPS-000001-1	Press-rotor transmission, 141-01.A1A.L	1
8	23P10 82005	Washer, round, 10galv 82005 82005	12
9	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	8
10	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	6
11	23P10 OC030	Washer, round, 10galv coat. 82030 82030	4
12	23P12OC	Washer, round, 12galv 82005	16
13	23S12/50OC 8.8	Bolt, 12x50galv 8.8 82101 82101	8
14	23S10/20OC 8.8	Bolt, 10x20galv 8.8 82105 82105	4


No.	Index no.	Name	Quantity
15	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	6
16	23P12SP	Spring washer, round, 16galv 82008 82008	2
17	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	2

12. ROLLER POSITIONS




No.	Index no.	Name	Quantity
1	Z602 001.110.000	Rolling shaft II, set	2
2	Z602 001.120.000	Rolling shaft III, set	1
3	Z602 001.130.000	Rolling shaft I, set	1
4	Z602 001.140.000	Rolling shaft IV, set	1
5	Z602 001.150.000	Rolling shaft II, set	1
6	Z602 001.160.000	Rolling shaft II, set	1

13. SHAFT, Z602 001.110.000




No.	Index no.	Name	Quantity
1	Z602 001.004.000	Rolling shaft II	1
2	Z602 001.005.200	Internal cover	1
3	Z602 001.170.100	Gear, teeth=24 16B1	1
4	Z602 001.005.100	Internal cover	1
5	25L210UCFC	Bearing assy, 210UCFC	1
6	POD-LOZ-000274	Bearing, k6207 2RS Kraśnik	1
7	23P12OC	Washer, round, 12galv 82005	4
8	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	4
9	23P10SP	Spring washer, round, 10.2galv 82008 82008	2
10	23P12SP	Spring washer, round, 16galv 82008 82008	4
11	23S10/35OC 8.8	Bolt, 10x35galv 8.8 82105 82105	2
12	23SZ45	Circlip, Z45	1
13	23WP10/8/45	Key, 10x8x45	1

14. SHAFT, Z602 001.120.000




No.	Index no.	Name	Quantity
1	Z602 001.006.000	Rolling shaft III	1
2	Z602 001.005.300	Shaft mounting	1
3	Z602 001.170.100	Gear, teeth=24 16B1	1
4	Z602 001.005.100	Internal cover	2
5	Z562 000.201.000	Gear, teeth=22 Z-562 000.201.000	1
6	25L210UCFC	Bearing assy, 210UCFC	2
7	23P10 82005	Washer, round, 10galv 82005 82005	4
8	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	4
9	23P12OC	Washer, round, 12galv 82005	8
10	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	8
11	POD-ELZ-000432	Neck bolt, 10x25galv 8.8 82406	4
12	23P12SP	Spring washer, round, 16galv 82008 82008	8
13	23WP10/8/36	Key, 10x8x36	1
14	23SZ45	Circlip, Z45	2
15	POD-ELZ-000610	Key, 10x8x50	1

15. SHAFT, Z602 001.130.000




No.	Index no.	Name	Quantity
1	Z602 001.008.000	Rolling shaft I	1
2	Z602 001.005.400	Internal cover	2
3	25L209UCFC	Bearing assy, UCFC209	2
4	25KLZ-562 000.201.000	Sprocket, Z-562 000.201.000	1
5	23P10 82005	Washer, round, 10galv 82005 82005	8
6	23P10SP	Spring washer, round, 10.2galv 82008 82008	8
7	POD-ELZ-000051-1	Bolt, 12x50galv 8.8 82101	8
8	23WP10/8/36	Key, 10x8x36	1
9	23SZ45	Circlip, Z45	1

16. SHAFT, Z602 001.140.000




No.	Index no.	Name	Quantity
1	Z602 001.004.000	Rolling shaft II	1
2	Z602 001.005.200	Internal cover	1
3	Z602 001.005.100	Internal cover	1
4	Z562 000.201.000	Gear, teeth=22 Z-562 000.201.000	1
5	25L210UCFC	Bearing assy, 210UCFC	1
6	POD-LOZ-000274	Bearing, k6207 2RS Kraśnik	1
7	23P12OC	Washer, round, 12galv 82005	4
8	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	4
9	23P10SP	Spring washer, round, 10.2galv 82008 82008	2
10	23P12SP	Spring washer, round, 16galv 82008 82008	4
11	POD-ELZ-000045-1	Bolt, 10x40galv 8.8 82101	2
12	23WP10/8/36	Key, 10x8x36	1
13	23SZ45	Circlip, Z45	1

17. SHAFT, Z602 001.150.000




No.	Index no.	Name	Quantity
1	Z602 001.004.000	Rolling shaft II	1
2	Z602 001.005.200	Internal cover	1
3	Z602 001.005.100	Internal cover	1
4	Z602 001.170.200	Gear, teeth=19/24 16B1	1
5	25L210UCFC	Bearing assy, 210UCFC	1
6	POD-LOZ-000274	Bearing, k6207 2RS Kraśnik	1
7	23P12OC	Washer, round, 12galv 82005	4
8	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	4
9	23P10SP	Spring washer, round, 10.2galv 82008 82008	2
10	23P12SP	Spring washer, round, 16galv 82008 82008	4
11	23S10/35OC 8.8	Bolt, 10x35galv 8.8 82105 82105	2
12	POD-ELZ-000610	Key, 10x8x50	1
13	23SZ45	Circlip, Z45	1

18. SHAFT, Z602 001.160.000



No.	Index no.	Name	Quantity
1	Z602 001.004.000	Rolling shaft II	1
2	Z602 001.005.200	Internal cover	1
3	Z602 001.170.100	Gear, teeth=24 16B1	1
4	Z602 001.005.100	Internal cover	1
5	25L210UCFC	Bearing assy, 210UCFC	1
6	POD-LOZ-000274	Bearing, k6207 2RS Kraśnik	1
7	23P12OC	Washer, round, 12galv 82005	4
8	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	4
9	23P10SP	Spring washer, round, 10.2galv 82008 82008	2
10	23P12SP	Spring washer, round, 16galv 82008 82008	4
11	23S10/35OC 8.8	Bolt, 10x35galv 8.8 82105 82105	2
12	23WP10/8/45	Key, 10x8x45	1
13	23SZ45	Circlip, Z45	1


19. CHAINS – LEFT-HAND SIDE



No.	Index no.	Name	Quantity
1	Z602 002.004.300	Gear, teeth=21, 16B-1	1
2	Z589 001.012.000	Gear, teeth=19/13	1
3	Z602 001.170.100	Gear, teeth=24 16B1	4
4	Z602 001.170.200	Gear, teeth=19/24 16B1	1
5	Z562 096.021.000	Clutch I	1
6	Z562 063.420.000	Gear, teeth=15 16B1	1
7	25KLZ-562 000.201.000	Sprocket, Z-562 000.201.000	1
8	Z602 001.010.000	Tensioner rod	1
9	Z562 038.000.000.1	Chain tensioner lever II	1
10	Z562 000.000.208	Slide III	2
11	Z562 000.000.036	Chain tensioner slide I	2
12	Z562 037.000.004	Slide bushing	1
13	25L30RAENPP	Bearing, RAE30 NPP(SB.BA3062.01)	1
14	Z562 000.040.000	Gear, teeth=15	1
15	POD-SPR-000058	Compression spring, 8/45/248/20 galv	1
16	23P10 82005	Washer, round, 10galv 82005 82005	2
17	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	4
18	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	1

No.	Index no.	Name	Quantity
19	23P12OOC	Washer, round, 12galv coat. 82030	8
20	POD-ELZ-000045- 1	Bolt, 10x40galv 8.8 82101	1
21	23S12/100 8.8	Bolt, 12x10galv 8.8 82105 82105	4
22	23PW12,3OC	Serrated lock spring washer in/out, m12galv DIN6798DD	4
23	23N20OC	Nut, M20 galv 82144 5 82144 5	2
24	23SW62	Circlip, W62	1
25	23SZ25	Circlip, Z25	1
26	Chain, 3 16B1 72 links + straight connector		1
27	Chain, 5 16B1 54 links	+ straight connector	1


20. CHAINS – RIGHT-HAND SIDE



No.	Index no.	Name	Quantity
1	Z562 000.201.000	Gear, teeth=22 Z-562 000.201.000	2
2	Z562 063.420.000	Gear, teeth=15 16B1	1
3	Z582 070.015.02	Gear, teeth=28	1
4	Z589 004.013.100	Tensioner bracket	1
5	Z562 000.000.208	Slide III	1
6	Z582 080.004.00	Gear, teeth=10 16B1	1
7	POD-LOZ-000008-1	Bearing, 6204 2RS	1
8	POD-ELZ-000368	Nut, self-locking, M20x1.5 galv	1
9	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	1
10	23P12OOC	Washer, round, 12galv coat. 82030	2
11	POD-ELZ-000384	Washer, round 16galv coat 82030	2
12	23S12/100 8.8	Bolt, 12x10galv 8.8 82105 82105	1
13	23S12/100OC	Bolt, 12x100galv 8.8 82105 82105	1
14	23PW12,3OC	Serrated lock spring washer in/out, m12galv DIN6798DDD	1
15	23S16/50 8.8	Bolt, 10x50galv 8.8 82101 82101	2
16	23N12OC	Nut, m12galv 82144 5	2
17	POD-ELZ-000008-1	Circlip, W47	1


No.	Index no.	Name	Quantity
18	Chain, 1 16B1 42 links	+ straight connector	1
19	Chain, 4 16B1 86 links	+ straight connector	1

21. ROTOR - BODY AND SCRAPER



No.	Index no.	Name	Quantity
1	Z589 004.005.100	Scraper frame	1
2	Z589 004.001.200	Welded wall, right	1
3	Z589 004.001.100	Welded wall, left	1
4	Z589 001.012.000	Gear, teeth=19/13	1
5	Z589 004.005.200	Scraper II	14
6	POD-LOZ-000170	Bearing, 6007 2RS (Fe)	2
7	Z589 004.005.003	Washer, wide	6
8	Z589 004.005.002	Scraper pad	1
9	Z589 004.005.001	Scraper I	17
10	23P10 82005	Washer, round, 10galv 82005 82005	12
11	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	10
12	23P12OC	Washer, round, 12galv 82005	30
13	23S12/25OC 8.8	Bolt, 12x25galv 8.8 82105 82105	10
14	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	10
15	23P10SP	Spring washer, round, 10.2galv 82008 82008	12
16	23S10/25OC 8.8	Bolt, 10x25galv 8.8 82105 82105	12
17	23SZ35	Circlip, Z35	1
18	23SZ45	Circlip, Z45	1


22. ROTOR – SHAFT



No.	Index no.	Name	Quantity
1	Z589 004.003.000	Rotor shaft	1
2	Z589 004.004.000	Cover, set	2
3	Z562 063.440.000.1	Wheel hub	1
4	Z589 004.001.200	Welded wall, right	1
5	Z589 004.001.100	Welded wall, left	1
6	25L209UCFC	Bearing assy, UCFC209	2
7	Z589 004.013.102	Pin	1
8	Z589 004.013.101	Block	1
9	Z582 080.004.00	Gear, teeth=10 16B1	1
10	POD-LOZ-000008-1	Bearing, 6204 2RS	1
11	Z582 070.015.02	Gear, teeth=28	1
12	POD-ELZ-000368	Nut, self-locking, M20x1.5 galv	1
13	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	2
14	23P12OC	Washer, round, 12galv 82005	8
15	POD-ELZ-000384	Washer, round, 16galv coat 82030	2
16	POD-ELZ-000586	Bolt, 12x45galv 10.9 82105	2
17	23S12/60OC 8.8	Bolt, 12x60galv 8.8 82101 82101	8
18	23P12SP	Spring washer, round, 16galv 82008 82008	10

No.	Index no.	Name	Quantity
19	23S12/100OC	Bolt, 12x100galv 8.8 82105 82105	1
20	23S16/50 8.8	Bolt, 10x50galv 8.8 82101 82101	2
21	23N12OC	Nut, m12galv 82144 5	2
22	POD-ELZ-000008-1	Circlip, W47	1
23	23SZ45	Circlip, Z45	1
24	POD-ELZ-000022-1	Circlip, Z65	1

23. ROTOR - FLOOR




No.	Index no.	Name	Quantity
1	Z589 004.001.300	Bottom part, welded	1
2	Z589 004.007.000	Bracket	1
3	Z589 004.006.000	Bracket	1
4	Z589 004.002.100	Holder assy	1
5	Z589 004.010.000	Spring bar	1
6	Z589 004.009.000	Blade bar	1
7	Z589 004.008.200	Spring guide II	13
8	Z589 004.001.200	Welded wall, right	1
9	Z589 004.001.100	Welded wall, left	1
10	POD-HSL-000123	Cylinder, Z602 UCJ2F-40/22/125z+U (Ral 7015)	2
11	POD-HSL-000021-1	Cylinder, CJ2F 32/22/80 (Ral 7015)	1
12	Z589 004.008.100	Spring lever I	13
13	23SS1-15-25	Spring maz-1788	1
14	Z589 004.008.002	Pn	1
15	Z589 004.008.001	Roller	1
16	POD-LOZ-000192	Bushing, PAP 2520 P20	2
17	Z589 004.002.003	Rod strap	6
18	Z589 004.002.002	Blade shaft	1
19	Z589 004.002.001	Blade shaft	1
20	Z589 004.000.006	Sleeve	2

No.	Index no.	Name	Quantity
21	Z589 004.000.005	Rod	1
22	Z589 004.000.004	Bushing, 16.2x25x10	2
23	Z589 004.000.007	Sensor bracket	2
24	23NS20OC 82175	Nut, self-locking, M20galv 82175 8 82175 8	2
25	23NS16OC	Nut, self-locking, M16galv 82175 8 82175 8	2
26	23P10 82005	Washer, round, 10galv 82005 82005	9
27	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	6
28	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	5
29	23P12OC	Washer, round, 12galv 82005	12
30	23P16OOC	Washer, round, 16galv 82005 82005	6
31	23P20OOC	Washer, round, 20galv 82005 82005	4
32	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	6
33	POD-ELZ-000733	Bolt, 16x55galv 8.8 82101	2
34	23S10/25OC 8.8	Bolt, 10x25galv 8.8 82105 82105	1
35	23S10/60OC 8.8	Bolt, 10x60galv 8.8 82101 82101	3
36	23WP8/7/20	Key, 8x7x20 DIN 6885	3
37	23S16/30OC 5.8-B	Bolt 16x30galv 8.8 82105 82105	2

No.	Index no.	Name	Quantity
38	POD-ELZ-000661	Allen bolt, 10x55galv 8.8 82302	1
39	23S20/70OC 8.8	Bolt, 20x70galv 8.8 82101 82101	2
40	POD-ELZ-000449	Circlip, Z16	2
41	23SZ25	Circlip, Z25	4
42	23K6/30	Spring pin, 6x30 DIN 1481	2
43	POD-ELZ-000348	Spring pin, 8x36 DIN 1481	2
44	POD-ELK-000347	Induction sensor, BI4M12-AP6X-H1141	2


24. PICK-UP – BODY



No.	Index no.	Name	Quantity
1	Z589 050.003.000.1	Pick-up frame, set	1
2	Z589 050.001.000	Right wall, set	1
3	Z589 050.002.000	Left wall, set	1
4	Z562 097.010.000	Auger guard angle holder assy	2
5	Z562 097.009.002	Housing sleeve	2
6	Z562 097.009.001	Housing disc	2
7	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	6
8	23P10 82005	Washer, round, 10galv 82005 82005	16
9	23P8OOC	Washer, round, 8galv 82005 82005	2
10	23P8OC 82030	Washer, round, 8galv coat 82030	4
11	23P10SP	Spring washer, round, 10.2galv 82008 82008	8
12	POD-ELZ-000423	Neck bolt, 8x20galv 8.8 82406	2
13	23S10/16OC 8.8	Bolt, 10x16galv 8.8 82105 82105	24
14	Z589 005.000.001	Pick-up bushing	2
15	Z589 005.001.000	Pick-up support	2
16	POD-HSL-000084	Cylinder, Z589-UCN12-25/100-press (Ral 7015)* L-450	2
17	23NS16OC	Nut, self-locking, M16galv 82175 8 82175 8	4


No.	Index no.	Name	Quantity
18	23P16OOC	Washer, round, 16galv 82005 82005	8
19	23S16/60 8.8 82101 OC	Bolt, 16x60galv 8.8 82101 82101	4
20	POD-SPR-000077	Compression spring, 10/57/300/19 (maz-4904)	2

25. PICK-UP – LEFT-HAND SIDE




No.	Index no.	Name	Quantity
1	Z562 096.008.000.1	Gear, teeth=32	1
2	Z562 000.000.207	Slipper II	1
3	Chain, 7 12 B1 49 links	+ bent connector	1
4	Chain, 6 12 B1 58 links	+ straight connector	1
5	Z587 000.019.00	Ring	1
6	Z562 096.007.002	Gear, teeth=10	1
7	Z562 096.000.028	Chain tensioner	1
8	Z562 096.000.017	Gear, teeth=16	2
9	POD-TSZ-000208	Left shield	1
10	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	2
11	23P12OC	Washer, round, 12galv 82005	3
12	23P12OOC	Washer, round, 12galv coat. 82030	1
13	23P8OC 82030	Washer, round, 8galv coat 82030	3
14	POD-ELZ-000429	Bolt, 12x60galv 8.8 82105	1
15	23S12/70OC 8.8	Bolt, 12x70galv 8.8 82101 82101	1
16	23S8/25 8.8	Bolt, 8x25bs 8.8 82105 82105	3
17	23PW12,3OC	Serrated lock spring washer in/out, m12galv DIN6798DD	2
18	23SZ30	Circlip, Z30	1
19	23SZ35	Circlip, Z35	2

26. PICK-UP – RIGHT-HAND SIDE




No.	Index no.	Name	Quantity
1	Z562 096.008.000.1	Gear, teeth=32	1
2	Z587 000.010.00	Washer 35x47x2	1
3	Z562 000.000.207	Slipper II	1
4	Chain, 6	12 B1 58 links + straight connector	1
5	Z562 096.000.014.1	Bushing I	1
6	POD-TSZ-000209	Right shield	1
7	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	1
8	23P12OC	Washer, round, 12galv 82005	1
9	23P12OOC	Washer, round, 12galv coat. 82030	1
10	23P8OC 82030	Washer, round, 8galv coat 82030	3
11	23S12/70OC 8.8	Bolt, 12x70galv 8.8 82101 82101	1
12	23S8/25 8.8	Bolt, 8x25bs 8.8 82105 82105	3
13	23PW12,3OC	Serrated lock spring washer in/out, m12galv DIN6798DD	1
14	23SZ30	Circlip, Z30	1
15	23SZ35	Circlip, Z35	1
16	Z562 096.007.002	Gear, teeth=10	1

27. PICK-UP – AUGER CONVEYORS



No.	Index no.	Name	Quantity
1	Z562 097.021.000	Left auger, set	1
2	Z562 097.020.000	Right auger, set	1
3	POD-LOZ-000169	Bearing, 6206 2RS (Fe)	4
4	Z587 000.016.00	Washer, 30.3x40x2	2
5	Z562 096.007.002	Gear, teeth=10	2
6	23SZ30	Circlip, Z30	2
7	23WP8/7/36	Key, 8x7x36	2


28. PICK-UP – SPRING SHAFT



No.	Index no.	Name	Quantity
1	Z562 097.008.000	Treading, set	1
2	Z562 097.005.000.1	Spring shaft	4
3	Z562 097.004.000	Main shaft, set	1
4	POD-LOZ-000171	Bearing, 6207 2RS (Fe) cat. B	2
5	Z562 097.000.018	Spacer I	4
6	Z562 097.000.015	Guard	20
7	Z562 097.000.009	Bearing housing	2
8	Z562 097.000.006	Tecamide sleeve	24
9	Z562 096.000.014.1	Bushing I	1
10	POD-SPR-000086, edge	Pick-up spring, Maz-7492	4
11	POD-LOZ-000227	Roller, 305701 C-2Z	4
12	23Z4-50	Cotter pin, 4x50galv	4
13	POD-SPR-000086	Torsion spring, 6/36.7/178/10 galv	36
14	Z562 096.000.012	Tube I	12
15	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	44
16	23P10 82005	Washer, round, 10galv 82005 82005	10
17	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	10
18	23P8OOC	Washer, round, 8galv 82005 82005	44

No.	Index no.	Name	Quantity
19	23P8 82019OC	Washer, round, 8galv coat 82019	44
20	23P8OC 82030	Washer, round, 8galv coat 82030	44
21	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	4
22	POD-ELZ-000432	Neck bolt, 10x25galv 8.8 82406	2
23	23S8/70OC	Bolt, 8x70galv 8.8 82101 82101	44
24	23S10/25OC 8.8	Bolt, 10x25galv 8.8 82105 82105	2
25	23WP8/7/36	Key, 8x7x36	1
26	23WP7/8/70	Key, 8x7x70	1
27	POD-ELZ-000513	Thread-tapping screw, 6x16galv DIN 7500D-six	80
28	Z562 097.000.024	Tube I	4
29	Z562 097.000.025	Tube II	4
30	23SZ35	Circlip, Z35	2
31	Z562 097.000.019	Spacer II	4


29. PICK-UP – DRIVE SHAFT AND CLUTCH



No.	Index no.	Name	Quantity
1	Z562 096.022.000	Clutch II	1
2	Z562 096.021.000	Clutch I	1
3	Z587 000.010.00	Washer, 35x47x2	1
4	Z562 096.000.041	Sheet metal housing, P206	2
5	25L206	Bearing, FD206	1
6	Z562 000.000.208	Slide III	1
7	Z587 000.019.00	Ring	1
8	Z562 097.000.022	Spacer bushing, L = 72	1
9	Z562 097.000.021	Spacer bushing, L = 48.5	1
10	Z562 097.000.020.1	Drive shaft	1
11	25OP207	Metal housing, P-207	2
12	25L207	Bearing, FD207	1
13	23NS6OC	Nut, self-locking, m6galv 82175 8 82175 8	1
14	23P10 82005	Washer, round, 10galv 82005 82005	9
15	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	1
16	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	6
17	23P12OOC	Washer, round, 12galv coat. 82030	2
18	23P6OOC	Washer, round, 6galv 82005 82005	1


No.	Index no.	Name	Quantity
19	23S10/30P	Neck bolt, 10x30galv 8.8 82406 82406	3
20	23S10/16OC 8.8	Bolt, 10x16galv 8.8 82105 82105	3
21	23S12/100 8.8	Bolt, 12x10galv 8.8 82105 82105	1
22	23WP8/7/36	Key, 8x7x36	1
23	23WP8/7/50	Key, 8x7x50	1
24	23SI6/40 10.9	Allen bolt, 6x40bs 10.9 82302 82302 10.9	1

30. PICK-UP – LEFT WHEEL




No.	Index no.	Name	Quantity
1	Z562 097.022.200.1	Pick-up wheel bracket	1
2	Z562 096.016.400	Pin - cotter pin	1
3	Z562 097.022.100.1	Feeler wheel bracket	1
4	POD-TSZ-000137	Stopper, 50x50 no. 199274	1
5	25L6205	Bearing, 6205 2RS	2
6	POD-KOJ-000076	Feeler wheel tyre	1
7	POD-KOJ-000075	Feeler wheel rim	1
8	Cap, POD-KOJ-000075	Cap	1
9	23NS20OC 82175	Nut, self-locking, M20galv 82175 8 82175 8	1
10	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	3
11	23P12OC	Washer, round, 12galv 82005	6
12	23P20OOC	Washer, round, 20galv 82005 82005	1
13	23S12/45 8.8OC.	Bolt, 12x45galv 8.8 82101 82101	3
14	POD-ELZ-000444	Cotter pin w/ring, 4.5mm	1

31. PICK-UP – RIGHT WHEEL



No.	Index no.	Name	Quantity
1	Z562 097.022.200.1	Pick-up wheel bracket	1
2	Z562 097.023.100.1	Wheel bracket, right	1
3	25L6205	Bearing, 6205 2RS	2
4	POD-KOJ-000076	Feeler wheel tyre	1
5	POD-KOJ-000075	Feeler wheel rim	1
6	Cap, POD-KOJ-000075	Cap	1
7	23NS20OC 82175	Nut, self-locking, M20galv 82175 8 82175 8	1
8	23P20OOC	Washer, round, 20galv 82005 82005	1
9	Z562 096.016.400	Pin - cotter pin	1
10	POD-TSZ-000137	Stopper, 50x50 no. 199274	1
11	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	3
12	23P12OC	Washer, round, 12galv 82005	6
13	23S12/45 8.8OC.	Bolt, 12x45galv 8.8 82101 82101	3
14	POD-ELZ-000444	Cotter pin w/ring, 4.5mm	1


32. PRESSURE ROLLER



No.	Index no.	Name	Quantity
1	Z587 150.240.00	Pressure roller	1
2	Z587 150.210.01	Frame	1
3	Z589 050.004.100	Narrow rakes	1
4	Z587 150.250.01	Welded mounting bracket, left	1
5	Z587 150.260.01	Welded mounting bracket, right	1
6	Z587 150.014.00	Buffer	2
7	Z587 150.008.00	Mounting bracket protective steel plate	2
8	Z587 000.010.00	Washer, 35x47x2	2
9	Z562 096.000.041	Sheet metal housing, P206	4
10	POD-TSZ-000215	Stopper, 40x40x1.0x3.0	2
11	POD-OGL-000856	Heat-shrink tube, 19/9.5, black	3
12	25LNR5OC	Chain, general purpose, 5mm galv D2 5x45x20	13
13	25L206	Bearing, FD206	2
14	Z587 000.008.00	Washer	2
15	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	8
16	23P10 82005	Washer, round, 10galv 82005 82005	23
17	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	17


No.	Index no.	Name	Quantity
18	23P10 OC030	Washer, round, 10galv coat. 82030 82030	6
19	23P8OOC	Washer, round, 8galv 82005 82005	12
20	23S10/30P	Neck bolt, 10x30galv 8.8 82406 82406	4
21	23S8/30P	Neck bolt, 8x30galv, 8.8 82406 82406	4
22	23S8/30OC 8.8	Bolt, 8x30galv 8.8 82105 82105	4
23	23S10/35OC 8.8	Bolt, 10x35galv 8.8 82105 82105	13
24	23PR6	Cotter pin w/ring, 6	2
25	POD-ELZ-000444	Cotter pin w/ring, 4.5mm	1
26	POD-ELZ-000349	Spring pin, 10x55 DIN 1481	2
27	Z587 150.019.00	Steel plate	1
28	Z587 150.020.00	Steel plate	2

33. NETTING UNIT – BODY



No.	Index no.	Name	Quantity
1	Z602 003.002.000	Left wall, welded	1
2	Z602 003.001.000	Right wall, welded	1
3	Z589 001.001.600	Rear bracing	1
4	Z562 311.006.000	Welded net holder	1
5	Z587 110.057.00	Guard	2
6	Z562 311.008.001	Support	1
7	Z562 311.008.002	Tube support steel plate	1
8	Z562 311.008.003	Rod	1
9	Z562 311.008.004	Sleeve	2
10	23NS16OC	Nut, self-locking, M16galv 82175 8 82175 8	1
11	23P10 82005	Washer, round, 10galv 82005 82005	72
12	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	36
13	23P16OOC	Washer, round, 16galv 82005 82005	2
14	23S10/25OC 8.8	Bolt, 10x25galv 8.8 82105 82105	36
15	23S16/120 8.8 82101 OC	Bolt, 16x120galv 8.8 82101 82101	1
16	23K4/30	Spring pin, 4x30 (4x28) DIN 1481	1
17	23ZSP4	Spring pin, double, 4mm galv.(R-type, double)	1


34. NETTING UNIT – FEEDING UNIT



No.	Index no.	Name	Quantity
1	Z562 311.018.000	Feeder mounting arm	1
2	Z562 311.014.000	Net feeder, welded	1
3	Z562 311.016.000	Tube net feeder, welded	1
4	Z562 311.010.000	Roller with spirals	1
5	Z562 311.017.000	Net tensioning shaft	1
6	POD-ELK-000347	Induction sensor, BI4M12-AP6X-H1141	1
7	POD-ELK-000252	Electrical actuator	1
8	Z562 311.020.003	Net shaft plate, bent	1
9	Z562 311.020.005	Fixing bolt for net actuator	1
10	Z562 311.020.006	Bearing hub	2
11	Z562 311.020.009	Special nut	2
12	Z562 311.020.010	Net shaft plate, straight	1
13	Z562 311.020.012	Polyurethane casing	1
14	Z562 311.020.014	Cam plate	2
15	Z562 311.020.015	Rubber pressure pad	1
16	POD-LOZ-000194	Bearing, 2203 2RS	4
17	Z562 311.009.001	Net roller	4
18	Z562 311.020.018	Sensor coupling star	1
19	Z562 311.020.016	Threaded sleeve	1

No.	Index no.	Name	Quantity
20	23SM8	Grease nipple, M8x1.0 straight	2
21	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	1
22	23NS6OC	Nut, self-locking, m6galv 82175 8 82175 8	9
23	23P12OC	Washer, round, 12galv 82005	1
24	23P6OOC	Washer, round, 6galv 82005 82005	18
25	23P8OOC	Washer, round, 8galv 82005 82005	3
26	POD-LOZ-000195	Knuckle joint, PGAKR8	2
27	23S6/25OC 105	Bolt 6x25galv 8.8 82105	9
28	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	1
29	23P8SPOC	Spring washer 8.2galv 82008 82008	10
30	23S8/30OC 8.8	Bolt, 8x30galv 8.8 82105 82105	1
31	POD-ELZ-000645	Bolt, 5x20galv 8.8 82105	1
32	POD-ELZ-000351	Allen bolt, 8x25galv 8.8 82302	10
33	23Z2,5/28OC.	Cotter pin, 2.5x28galv	1
34	POD-ELZ-000536	Spring pin, 6x15 DIN 1481	4
35	POD-ELZ-000813	Allen screw, countersunk, 10x20galv 8.8 DIN7991	6

35. NETTING UNIT – CUTTING UNIT




No.	Index no.	Name	Quantity
1	Z562 311.022.000	Net blade frame 40	1
2	Z562 311.019.000	Net brake	1
3	Z562 311.005.000	Blade hub	2
4	Z587 110.230.00	Cam	1
5	Z562 311.023.100	Bracket	1
6	Z562 311.001.000	Regulator arm	1
7	POD-OGL-000918	Gas strut, 24984 - L250 - 1180N stroke 72	2
8	Z562 311.024.000	Springbolt	1
9	Z587 110.056.00	Catch	1
10	Z587 110.055.00	Flat bar	1
11	Z587 110.047.00	Pin	1
12	Z587 000.011.00	Washer, 35.3x43x1	1
13	POD-LOZ-000141	Bearing, HFL 1826 (Fe)	2
14	Z602 003.000.002	Blade lever	1
15	Z602 003.000.001	Brake lever	1
16	POD-NOZ-000020	Blade, no. 40-0080-01-01	21
17	Z562 311.020.007	Pin	1
18	Z562 311.020.008	Pin II	1
19	Z562 311.020.011	Nylon bushing, L=20	4

No.	Index no.	Name	Quantity
20	Z562 311.020.013	Sleeve	4
21	Z562 311.011.001	Net blade side panel	2
22	Z562 305.000.004	Mounting plate, net brake	2
23	Z602 003.000.003	Cylinder pin	2
24	Z602 003.000.004	Cylinder pin	2
25	POD-ELZ-000556	Spacer 18.5 30 1	1
26	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	5
27	POD-ELZ-000471	Nut, self-locking, m5galv 82175 8	24
28	23P10 82005	Washer, round, 10galv 82005 82005	16
29	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	2
30	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	8
31	23P12OC	Washer, round, 12galv 82005	8
32	23P12OOC	Washer, round, 12galv coat. 82030	4
33	23P8OOC	Washer, round, 8galv 82005 82005	8
34	23P8OC 82030	Washer, round, 8galv coat 82030	5
35	POD-ELZ-000559	Spring washer, corrugated, 18 DIN 137B	1
36	POD-ELZ-000622	Bolt, 12x20 1.25galv 10.9 82105	2

No.	Index no.	Name	Quantity
37	23S12/35OC 8.8	Bolt, 12x35galv 8.8 82105 82105	2
38	POD-ELZ-000586	Bolt, 12x45galv 10.9 82105	1
39	23S6/25OC 105	Bolt, 6x25galv 8.8 82105	1
40	23S6/40OC.	Bolt, 6x40galv 8.8 82105 82105 8.8	2
41	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	5
42	23S8/40OC 8.8	Bolt, 8x40galv 8.8 82105 82105	1
43	23S8/45OC 8.8	Bolt, 8x45galv 8.8 82105 82105	1
44	23S10/25OC 8.8	Bolt, 10x25galv 8.8 82105 82105	4
45	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	4
46	POD-ELZ-000645	Bolt, 5x20galv 8.8 82105	24
47	POD-ELZ-000534	Set screw, 6x12galv 82315 12.9	1
48	23N8OC	Nut, m8galv 82144 5 82144 5	2
49	23N6OC	Nut, m6galv 82144 5 82144 5	3
50	23N12OC	Nut, m12galv 82144 5	7
51	23SZ14	Circlip, Z15	1
52	23SZ18	Circlip, Z18	1
53	POD-ELZ-000344	Spring pin, 5x30 DIN 1481	1

No.	Index no.	Name	Quantity
54	POD-ELZ-000354	Spring pin, 5x40 DIN 1481	1
55	23K6/40	Spring pin, 6x40 DIN 1481	1
56	POD-ELZ-000540	Spring pin, 8x40 DIN 1481	3
57	POD-ELZ-000539	Spring pin, 8x30 DIN 1481	1
58	23K8/25	Spring pin, 8x25 DIN 1481	1

36. CENTRAL CHAIN GREASING




The brackets for brush tips are welded to the baler body

No.	Index no.	Name	Quantity
1	Z562 062.000.100	Welded bracket	1
2	Z562 096.001.016	Support II	1
3	Z562 096.001.015	Support I	2
4	POD-OGL-000228	Central lubrication system Z-562 cap 5/16 B516	5
5	Z562 001.000.112	Bracket IV, central lubrication system	1
6	Z562 001.000.110	Bracket II, central lubrication system	1
7	24KP1	Central lubrication system brush tip, Z-562, single ABR516	8
8	POD-OGL-001037	Central lubrication system angle connection, Z-562 EP516-4 (nt)	8
9	POD-OGL-000004-1	Central lubrication system central lube oil tank, Z-562, part no. 1	1
10	POD-OGL-000005-1	Central lubrication system central lubrication pump, Z-562, part no. 3	1
11	POD-OGL-000007-1	Central lubrication system Z-562 central grease manifold, part no. 7	2
12	POD-OGL-000006-1	Central lubrication system central lube disc, Z-562, part no. 4	1
13	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	4
14	23NS6OC	Nut, self-locking, m6galv 82175 8 82175 8	2


No.	Index no.	Name	Quantity
15	23P6OOC	Washer, round, 6galv 82005 82005	4
16	23P8OOC	Washer, round, 8galv 82005 82005	8
17	POD-ELZ-000525	Bolt, 6x30galv 8.8 82101	4
18	23S6/50OC	Bolt, 6x50galv 8.8 82101 8.8	2
19	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	2
20	23P6SPOC	Spring washer, 6.1galv 82008 82008	4
21	POD-ELZ-000526	Bolt, 8x40galv 8.8 82101	2
22	Z602 001.001.122	Support, CLS I	1
23	Z602 001.001.123	Support, CLS II	2
24	24P4	Central lubrication system plastic tube, dia. 4x2 PA6	
25	POD-OGL-001030	Central lubrication system tube TBH516	
26	POD-OGL-001029	Central lubrication system neoprene tube TNP06	
27	POD-OGL-000938	Central lubrication system dosing tip, Z-562, SMU3 (nt)	3
28	POD-OGL-000939	Central lubrication system dosing tip, Z-562, SMU4 (nt)	1
29	POD-OGL-000940	Central lubrication system dosing tip, Z-562, SMU5 (nt)	1
30	POD-OGL-000941	Central lubrication system dosing tip, Z-562, SMU6 (nt)	2
31	POD-OGL-000942	Central lubrication system dosing tip, Z-562, SMU7 (nt)	1

No.	Index no.	Name	Quantity
32	POD-UGL-000226	Central lubrication system oil filter, Z-562, FP3320	1
33	POD-UGL-000229	Central lubrication system Coupling, Z-562, F1KR	3
34	POD-UGL-000227	Central lubrication system guide, Z-562, CDCAP	1


37. CENTRAL CHAIN LUBRICATION – LEFT-HAND SIDE



38. CENTRAL CHAIN LUBRICATION – RIGHT-HAND SIDE




39. CENTRAL BEARING LUBRICATION




No.	Index no.	Name	Quantity
1	Z587 070.001.00	Terminal strip	1
2	POD-HYD-000004	Straight quick release coupling, GEK-6-M8x1 symbol: 226-13752-7	6
3	23SM8	Grease nipple, M8x1.0 straight	6
4	POD-ELZ-000525	Bolt, 6x30galv 8.8 82101	2
5	23P6SPOC	Spring washer, 6.1galv 82008 82008	2

40. HYDRAULIC SYSTEM – REAR FLAP




No.	Index no.	Name	Quantity
1	POD-HSL-000122	Cylinder, Z602 UCN30-40/320 (Ral 7015)	2
2	POD-HZW-000053	Valve-plug, EURO 13 in. 1/2"(Fe)+cup	1
3	24ZWNE13	Valve-plug cup, EURO 13 (green, yellow, blue, red)	1
4	24KT18/18/18	T-coupling, 18x18x18 12 L	1
5	23SZ30	Circlip, Z30	4
6	POD-HKR-000115	Throttling connector, 1/2"x18-1.5 (dia. 1mm)	1
7	POD-HPZ-000044-1	Sealing ring, PPM 1/ 2"	1

41. HYDRAULIC SYSTEM – PICK-UP




No.	Index no.	Name	Quantity
1	POD-HSL-000084	Cylinder, Z589-UCN12-25/100-press (Ral 7015)* L-450	2
2	Z589 005.001.000	Pick-up support	2
3	POD-HZW-000053	Valve-plug, EURO 13 in. 1/2"(Fe)+cup	1
4	POD-HZW-000052	Ball valve, RS2 1/4" Fe)	1
5	POD-HPZ-000121	Sealing ring, PPM 1/ 4"	2
6	POD-HPZ-000044-1	Sealing ring, PPM 1/ 2"	1
7	POD-HKR-000106	Straight throttling coupling, 1/2"-1/4" (Fe)	1
8	POD-HKR-000078	Straight connector, 16x1.5-M18x1.5	2
9	24ZWNE13	Valve-plug cup, EURO 13 (green, yellow, blue, red)	1
10	23NS16OC	Nut, self-locking, M16galv 82175 8 82175 8	4
11	24KT18/18/18	T-coupling, 18x18x18 12 L	1
12	23P16OOC	Washer, round, 16galv 82005 82005	8
13	23S16/60 8.8 82101 OC	Bolt, 16x60galv 8.8 82101 82101	4
14	POD-SPR-000077	Compression spring, 10/57/300/19 (maz-4904)	2
15	POD-HPZ-000008-1	Straight connector, 1/ 4"-M18x1.5 12LR	1

42. HYDRAULIC SYSTEM – ROTOR AND BLADES




No.	Index no.	Name	Quantity
1	POD-HSL-000123	Cylinder, Z602 UCJ2F-40/22/125z+U (Ral 7015)	2
2	POD-HSL-000021-1	Cylinder, CJ2F 32/22/80*L-283	1
3	POD-HKR-000078	Straight connector, 16x1.5-M18x1.5	2
4	POD-HKR-000002-1	Symmetric T-pipe connector, 18x18x18-1.5 w/nut, top	2
5	24ZWE13	Valve-plug cup, EURO 13 (green, yellow, blue, red)	2
6	24KP1/2 18	Connector, 1.2" to 18x1.5	6
7	24UPPM22	Seal ring, PPM22 30x22	6
8	24ZWE13-M18X1.5	Valve-plug, EURO 13 M18x1.5	2
9	23NS20OC 82175	Nut, self-locking, M20galv 82175 8 82175 8	2
10	23P20OOC	Washer, round, 20galv 82005 82005	4
11	23S20/70OC 8.8	Bolt, 20x70galv 8.8 82101 82101	2
12	24DE	Directional control valve, 6/2-way, electric	1
13	23SZ25	Circlip, Z25	4
14	POD-HKR-000140	Eye bolt, M14x1.5	2

43. ELECTRICAL INSTALLATION




No.	Index no.	Name	Quantity
1	POD-ELK-000347	Induction sensor, BI4M12-AP6X-H1141	5
2	POD-ELK-000252	Electrical actuator	1
3	POD-ELK-000329	Wiring harness, Z602 baler	1
4	POD-ELK-000379	Controller panel, Z587-00 baler	1
5	24DE	Directional control valve, 6/2-way, electric	1
6	POD-ELK-000365	Sensor, NI20-Q14-AP6X2	1
7	POD-ELK-000380	Counter, controller module, Z602 baler, V1.0	1

44. LIGHTING



No.	Index no.	Name	Quantity
1	Z587 130.210.00	Lamp bracket, front	2
2	Z602 002.000.007	Right lamp bracket	1
3	Z602 002.000.008	Left lamp bracket	1
4	26WP	7-pin connector for trailer	1
5	POD-ELK-000308	Cluster lamp, rear, W95 (744) with 200cm cable YLY-S 4x0.75mm	2
6	POD-ELK-000011-1	Square clearance lamp with reflector, LO 093	2
7	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	4
8	23NS6OC	Nut, self-locking, m6galv 82175 8 82175 8	8
9	POD-ELZ-000471	Nut, self-locking, m5galv 82175 8	4
10	23P5,3OC 82005	Washer, round, 5.3galv 82005 82005	4
11	23P6OOC	Washer, round, 6galv 82005 82005	8
12	23P8OOC	Washer, round, 8galv 82005 82005	8
13	23S8/35OC 8.8	Bolt, 8x35galv 8.8 82105 82105	4
14	POD-ELZ-000565	Thread-tapping screw, 8x16galv DIN 7500D-six	4
15	POD-ELZ-000558	Blind rivet nut M8, steel, hexagonal	4
16	26TO	Reflective triangle	2


45. LEFT SHIELD



No.	Index no.	Name	Quantity
1	Z602 006.001.000	Guard fixed hinge	1
2	Z602 008.001.000	Hinge	1
3	POD-TSZ-000197L	Left shield	1
4	POD-OGL-000815	Gas strut, 31247 - L750 - 1250N stroke 303	1
5	Z587 100.048.00	Springbolt	1
6	Z587 100.047.00	Lock bracket	1
7	Z587 100.046.01	Retainer bracket	2
8	Z587 100.038.00	Retaining bolt	2
9	POD-OGL-000716	Door retainer, 25.37814CO and 25.37814BU	2
10	POD-OGL-000715	Cover closure, IP65 468358 with key 468505	1
11	POD-ELK-000339	Reflector, round, orange, no. 844	1
12	Z602 001.000.008	Retainer bracket, left	2
13	Z602 008.000.001	Hinge	1
14	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	14
15	23NS6OC	Nut, self-locking, m6galv 82175 8 82175 8	4
16	23P10 82005	Washer, round, 10galv 82005 82005	14

No.	Index no.	Name	Quantity
17	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	2
18	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	14
19	23P10 OC030	Washer, round, 10galv coat. 82030 82030	8
20	23P12OC	Washer, round, 12galv 82005	6
21	23P6OOC	Washer, round, 6galv 82005 82005	4
22	23P8OOC	Washer, round, 8galv 82005 82005	18
23	23P8OC 82030	Washer, round, 8galv coat 82030	6
24	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	2
25	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	2
26	23S8/30OC 8.8	Bolt, 8x30galv 8.8 82105 82105	6
27	23S8/40OC 8.8	Bolt, 8x40galv 8.8 82105 82105	2
28	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	4
29	POD-ELZ-000754	Screw, countersunk, 6x20 galv 8.8 82208	4
30	23N8OC	Nut, m8galv 82144 5 82144 5	2
31	23N10OC	Nut, m10galv 82144 5 82144 5	4


46. RIGHT SHIELD



No.	Index no.	Name	Quantity
1	POD-TSZ-000197P	Right cover, Z602	1
2	Z602 006.001.000	Guard fixed hinge	1
3	Z602 006.002.000	Hinge	1
4	POD-OGL-000815	Gas strut, 31247 - L750 - 1250N stroke 303	1
5	Z587 100.048.00	Springbolt	1
6	Z587 100.047.00	Lock bracket	1
7	Z587 100.046.01	Retainer bracket	2
8	Z587 100.038.00	Retaining bolt	2
9	POD-OGL-000716	Door retainer, 25.37814CO and 25.37814BU	2
10	POD-OGL-000715	Cover closure, IP65 468358 with key 468505	1
11	POD-ELK-000339	Reflector, round, orange, no. 844	1
12	Z602 006.000.001	Hinge	1
13	Z602 001.000.007	Retainer bracket, right	2
14	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	14
15	23NS6OC	Nut, self-locking, m6galv 82175 8 82175 8	4
16	23P10 82005	Washer, round, 10galv 82005 82005	14
17	23NS12OC	Nut, self-locking, m12galv 82175 8 82175 8	2
18	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	14


No.	Index no.	Name	Quantity
19	23P10 OC030	Washer, round, 10galv coat. 82030 82030	8
20	23P12OC	Washer, round, 12galv 82005	6
21	23P6OOC	Washer, round, 6galv 82005 82005	4
22	23P8OOC	Washer, round, 8galv 82005 82005	19
23	23P8OC 82030	Washer, round, 8galv coat 82030	6
24	23S12/40OC	Bolt, 12x40galv 8.8 82101 82101	2
25	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	2
26	23S8/30OC 8.8	Bolt, 8x30galv 8.8 82105 82105	6
27	23S8/40OC 8.8	Bolt, 8x40galv 8.8 82105 82105	2
28	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	4
29	POD-ELZ-000754	Screw, countersunk, 6x20 galv 8.8 82208	4
30	23N8OC	Nut, m8galv 82144 5 82144 5	2
31	23N10OC	Nut, m10galv 82144 5 82144 5	4

47. TOP GUARD




No.	Index no.	Name	Quantity
1	Z602 004.001.000	Flap, welded	1
2	POD-OGL-001008	Gas strut, 23813 - L546 - 220N stroke 225	2
3	POD-OGL-000319	Cylindrical vibration damper, W-30-D-3	2
4	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	14
5	23P10 82005	Washer, round, 10galv 82005 82005	4
6	23NS10OC	Nut, self-locking, m10galv 82175 8 82175 8	2
7	23P8OOC	Washer, round, 8galv 82005 82005	9
8	23P8OC 82030	Washer, round, 8galv coat 82030	12
9	23S8/20OC 8.8	Bolt, 8x20galv 8.8 82105 82105	4
10	23S8/25OC8.8	Bolt, 8x25galv 8.8 82105 82105	4
11	23S10/30OC 8.8	Bolt, 10x30galv 8.8 82105 82105	2
12	Z602 004.000.011	Guard bracket	2
13	Z602 004.000.012	Gas strut bracket	2

48. REAR COVER



No.	Index no.	Name	Quantity
1	Z602 004.000.009	Rear shield II	1
2	Z602 004.000.008	Rear shield I	1
3	POD-ELZ-000513	Thread-tapping screw, 6x16galv DIN 7500D-six	15
4	POD-ELZ-000378	Blind rivetting nut with cylindrical flange and knurled shank, M6x16.5 FE	5

49. METAL SIDE SHIELDS



No.	Index no.	Name	Quantity
1	Z602 004.000.004	Left bottom shield I	1
2	Z602 004.000.005	Rotor shield II	1
3	Z602 004.000.006	Rotor I shield	1
4	23NS8OC	Nut, self-locking, m8galv 82175 8 82175 8	1
5	23P12OC	Washer, round, 12galv 82005	1
6	23P8OOC	Washer, round, 8galv 82005 82005	2
7	23S12/25OC 8.8	Bolt, 12x25galv 8.8 82105 82105	1
8	23S8/20OC 8.8	Bolt, 8x20galv 8.8 82105 82105	1
9	POD-ELZ-000565	Thread-tapping screw, 8x16galv DIN 7500D-six	7
10	Z602 004.000.010	Left bottom cover	1

NOTES

A series of 20 horizontal dotted lines for taking notes.

[illegible]

This image shows a full page of white paper with horizontal dotted lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Since Metal-Fach Sp. z o.o. is continuously improving its products and adapting its commercial range to match the customers' needs, Metal-Fach Sp. z o.o. reserves the right to modify our products without prior notice. Therefore, Metal-Fach Sp. z o.o. advises contacting a Metal-Fach Sp. z o.o. authorised dealer or sales representative prior to making your decision about any purchase.

Metal-Fach Sp. z o.o. will not accept any claims regarding the data and pictures contained in the catalogue, as the presented offer shall not constitute a commercial offer within the meaning of the provisions of the Polish Civil Code.

The pictures do not necessarily show standard accessories.

Original spare parts are available from authorised dealers, both in Poland and abroad, and also at the Metal-Fach retail outlet.

SERVICE

16-100 Sokółka, ul. Kresowa 62
Tel.: +48 85 711 07 80; Fax: +48 85 711 07 93
servis@metalfach.com.pl

SALES

16-100 Sokółka, ul. Kresowa 62
Tel.: +48 85 711 07 78; Fax: +48 85 711 07 89
handel@metalfach.com.pl

SPARE PARTS WHOLESALE STORE

16-100 Sokółka, ul. Kresowa 62

Wholesale:

Tel.: +48 85 711 07 81; Fax: +48 85 711 07 93
servis@metalfach.com.pl

Retail:

24/7 PHONE: +48 533 111 477
Tel.: +48 85 711 07 90

FIND THE LATEST INFORMATION ABOUT OUR PRODUCTS ON WWW.METALFACH.COM.PL